S/003/027

SUGGESTED FORMAT FOR A NOTICE

1) Mining Claim Numbers: UMC 353619, 353620, 355712, 355713

2) Mining Claim Name(s): FISHER #1, 2, 3, 4

3) Claimant, Operator, Agent:

A. Claimant(s):
Name WILLIAM BOWN
Address 842 W. 400 NO.
WEST BNTFL. UT. 84087
Phone # 801-295-0601

B. Claimant(s):
Name PRESTON BOWN
Address P.O. BOX 785
PARK VALLEY, UTAH
Phone #

4) Location and Access:

Brief description (including legal) of the location and existing or proposed access to the area of operation.

A. General Description of Location: SECTION 8 TOWNSHIP 13N, RANGE 13W BOX ELDER COUNTY, UTAH 640 ACRES APPROX.

B. Legal Description: Section 1/4 ALL OF SEC. 8
Township: Range: Section(s):
Township: Range: Section(s):

C. Estimated total acreage of the area proposed for exploration or mining under this Notice: 640

D. Estimated acreage per year to be disturbed by mining operation under this Notice: LESS THAN FIVE (5)

E. Access: Describe the existing or proposed access to the operation site: PLEASE SEE ATTACHMENT 4E AND MAP

Proposed Grade:
New Road(s): Length 2,640 (ft) Width 12 (ft) (.73 ac)
Length (ft) Width (ft)

RECEIVED
FEB 17 1995
OF OIL, GAS & MINING

F. What type of stakes/flagging (color?) did you use so that our Specialists can find the site(s) proposed for surface disturbance (not the claim corners) in the field? NO FLAGGING HAS BEEN DONE AS YET. FOR THE PROPOSED ROAD WE WILL USE FLOURESCENT RED STRETCH TAPE.

==========

G. Location Map: Attach a general location and vicinity map showing claim boundaries, UMC numbers in the correct areas, and existing and/or proposed access routes, holes, trenches, excavations, structures, wells, waste dumps, tailings disposal, and disturbed areas. A USGS 7.5 minute topographic map is preferred, but an accurate sketch map will do.

==========

5) General Information

A. Proposed starting date of operation: 1 APRIL 1995 Estimated completion date of operation (unknown or lifetime do not provide a definable term of use: THE YEAR 2100 A.D.

B. Operation will be (is): Continuous_____ Seasonal X Intermittent_____

Will you operate on weekends? X Weekdays? X

During what months will you be operating? FROM APRIL THROUGH NOVEMBER

PUBLIC SAFETY

C. What provisions will you make for Public Safety regarding open pits and trenches? WHAT PROVISIONS ARE REQUIRED?

Will you be using flagging? NO Barricades? NO

How long will the pits/trenches remain open? PITS AND

Will you be backfilling as you go? NOT IN ALL CASES

PLEASE SEE ATTACHMENT 5-C

D. Equipment, Personnel, and Supporting Facilities.

Equipment: List all equipment to be utilized in connection with the proposed activity, e.g.: mining, road maintenance, hauling, etc. TRACK EXCAVATOR, PIT DUMP TRUCK, D-8 BULLDOZER, FLAT-BED DIESEL TRUCK, SMALL 1 TON DUMP TRUCK, FORKLIFT. DRAG-LINE, COMPRESSOR.

Will explosives be used? YES Will explosives be stored on site? NO

Personnel: How many people will be working at the site? AT LEAST TWO(2) NOT MORE THAN SIX(6)

How many caretakers, or people will be living at the site? NONE

Supporting Facilities: Describe any proposed or existing structures, sanitary facilities or secured areas, and justify the reasons for continued maintenance and/or construction of these facilities: [redacted] NONE

6) Proposed Exploration (if applicable):

Dimensions of proposed holes, trenches, or excavations (Specify type): NO NEW HOLES, TRENCHES OR EXCAVATIONS FOR EXPLORATION

7) Proposed Production (if applicable):

A. Estimated size of operation:

Under 500 tons/cu yds per year X
500- 5,000 tons/cu yds per year
5,000-50,000 tons/cu yds per year
50,000-100,000 tons/cu yds per year
100,000-250,000 tons/cu yds per year
250,000-1,000,000 tons/cu yds per year
Over 1,000,000 tons/cu yds per year

B. Total Anticipated Production (for life of operation):

Quantity of ore to be removed (tons/cu yds) 53,000 TONS
Waste Retained on Site (tons/cu yds) _____
Waste Disposed of, off site (tons/cu yds) _____
Maximum anticipated dimensions of pit area _____
Number of linear feet of underground workings N/A

C. Mining Method: (Check all that apply)

Underground	___	Gravel/Sand Pit	___	Truck to Plant	X
Openpit	X	Clay Pit	___	BorrowPit	___
SingleBench	___	Drill & Blast	X	Tailing Pond	___
SlurryPump	___	WasteDump	___	Railline	___

Other _____

Quarry:

Hilltop	___	Shovel	___
Multibench	___	Gravel Bar Skimming	___
Sidehill	X	Dragline	X
Low level	___	Other	_____

D. Processing:

If processing of the ore or minerals mined is planned to be conducted on-site or adjacent to the extraction area, briefly describe the nature of the processing, and explain the disposal method for tailings or waste from the processing (Use additional space if necessary). A flow chart or schematic diagram of the processing procedure may be attached STONE IS PULLED FROM THE QUARRY FACE AND SPREAD ABOUT THE LANDING. INITIAL SEGREGATION AND GRADING WILL THEN TAKE PLACE, LANDSCAPE, VENEER, AQUARIUM AND CRUSH MATERIAL. SMALLER BOULDERS ARE WORKED WITH THE USE OF SLEDGE HAMMERS TO PRODUCE VENEER. ~~[illegible]~~ ROCK MATERIAL IS THEN PACKAGED AND REMOVED FROM LANDING. WASTE IS PUSHED OVER THE DUMP SPILL-WAY.

ATTACHMENT 4-E

THE EXISTING ROAD ENTERS SECTION 8 FROM THE SOUTH AND FOLLOWS FISHER CREEK. THE PROPOSED "NEW" ACCESS IS COMPRISED OF UPGRADING AND IMPROVING THE EXISTING ROAD ON THE WEST SIDE OF THE CANYON TO ACCESS THE QUARRY AT THE WEST BOUNDARY OF THE "PROJECT AREA". THIS IMPROVEMENT TOGETHER WITH SOME NEW ROAD TO PROMOTE SAFETY IN CERTAIN AREAS AS FLAGGED, AND DIAGRAMED (PLEASE SEE ACCOMPANYING MAP) CONSTITUTES THE PROPOSED ACCESS TO THE WEST SIDE OF THE CANYON AND PROJECT AREA.

WHERE THE OLD ROAD IS ABANDONED, RECLAMATION WILL BE DONE TO RESTORE THE OLD ROAD TO A "NATURAL" STATE.

ATTACHMENT 5-C

SINCE WORK ALONG PITS AND TRENCHS WILL BE ONGOING, THE FEASIBILITY OF FLAGGING OR BARRICADES IS IN QUESTION AT BEST. NIETHER WOULD STOP A PERSON FROM FALLING INTO ONE OR A MISGUIDED VEHICLE FROM DRIVING INTO ONE. IT IS OUR HOPE THAT THOSE ON THE QUARRY PREMISES WILL "SEE" THE TRENCHS AND PITS AND EXERCISE COMMON SENSE. IT MAY BE POSSIBLE TO POST WARNING SIGNS AT THE ENTRANCE TO THE QUARRY AREA.

PITS AND TRENCHS IN MOST CASES WILL REMAIN OPEN AS LONG AS A CERTAIN WALL OR LEDGE IS PRODUCING QUALITY MATERIAL. THE TRENCHS ENABLE US TO ACCESS THE LEDGE WHEREIN THE MATERIAL LIES. IT WOULD BE FAR TOO COSTLY TO BURY TRENCHS AT CLOSE TIME INTERVALS, JUST TO HAVE TO DIG THEM OUT AGAIN TO ACCESS THE MATERIAL.

IN SOME CASES BACKFILLING WILL BE DONE AS WE ASSESS THE IMPORTANCE OF A CERTAIN PIT OR TRENCH. IF WE CAN GET ALONG WITHOUT IT WE WILL CERTAINLY BACKFILL.

MAP OF FISHER CREEK AREA (SEC. 8)